
## phs memory®

# 8GB Computer memory DDR3 for Thecus N16000V UDIMM ECC



### PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



## Memory Specification

◄ 133.35mm	-	
	9.5mm	30mm 17.3mm
- 54.68mm - ►	1	

Memory technologyDDR3ECC supportjaJEDEC NormPC3-12800EDRAM Organization512Mx8Rank2Rx8TypeUDIMM ECC (ECC unbuffered)Number of pins240 Pin DIMMSpeciality-Speciality13335 x 30 (LxB mm)Operating temperatureo° C - 85° CStorage temperatureu	Memory size	8GB
JEDEC NormPC3-12800EDRAM OrganizationS12Mx8Rank2Rx8TypeUDIMM ECC (ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1600MHz @ CL11Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperatureo° C - 85° CStorage temperature-40° C - +95° C	Memory technology	DDR3
DRAM Organization512Mx8Rank2Rx8TypeUDIMM ECC (ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1600MHz @ CL11Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	ECC support	ја
Rank2Rx8TypeUDIMM ECC (ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1600MHz @ CL11Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	JEDEC Norm	PC3-12800E
TypeUDIMM ECC (ECC unbuffered)Number of pins240 Pin DIMMMemory data transfer rate1600MHz @ CL11Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	DRAM Organization	512Mx8
Number of pins240 Pin DIMMMemory data transfer rate1600MHz @ CL11Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Rank	2Rx8
Memory data transfer rate1600MHz @ CL11Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Туре	UDIMM ECC (ECC unbuffered)
Speciality-Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Number of pins	240 Pin DIMM
Board dimensions133,35 x 30 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° C	Memory data transfer rate	1600MHz @ CL11
Operating temperature 0° C - 85° C   Storage temperature -40° C - +95° C	Speciality	-
Storage temperature -40° C - +95° C	Board dimensions	133,35 x 30 (LxB mm)
	Operating temperature	0° C - 85° C
	Storage temperature	-40° C - +95° C
RoHS compliant Yes	RoHS compliant	Yes
<b>SKU</b> SP267405	SKU	SP267405
	EAN	4063369362499
•	Board dimensions Operating temperature Storage temperature RoHS compliant	0° C - 85° C -40° C - +95° C Yes
	EAN	4063369362499

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



## System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	Thecus
Device type	Storage/NAS
Device family	Enterprise-Rackmount
Device series	N16000 Serie
Device name	N16000V
Standard memory	4GB (2 x 2GB)
Maximum memory*	32GB
Number of memory sockets	4
Annotation	This system basically supports UDIMM ECC memory and UDIMM memory without ECC support. Both technologies can not be mixed.

\* The specifications for the maximum memory upgrade may differ from those of the manufacturer Thecus. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

## Information on memory allocation

#### Help in choosing the right RAM:

Wir bieten Ihnen die schnelleren 1600MHz Computer memory for Ihr System an. Durch die Abwärtskompatibilität unserer Computer memory auf 1333MHz, können Sie die diese auch with bereits vorhandenen 1333MHz memoryn gemischt betreiben.

Ob Sie UDIMM ECC Computer memory einsetzen sollten hängt auch davon ab, ob bereits vorhandene memory with ECC ausgestattet sind.

Bei verschiedenen Computer memory capacityen müssen Sie darauf achten, dass die memory in memorykanal A größer sind als die Computer memory in memorykanal B.

## Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible



General installation instructions are supplied by E-Mail.



## Further memory options for Thecus N16000V

Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
4GB	SP267406	DDR3	UDIMM (Non- ECC unbuffered)	240 Pin DIMM	PHS-memory®	
4GB	SP267404	DDR3	UDIMM ECC (ECC unbuffered)	240 Pin DIMM	PHS-memory®	
8GB	SP267407	DDR3	UDIMM (Non- ECC unbuffered)	240 Pin DIMM	PHS-memory®	
8GB	SP267405	DDR3	UDIMM ECC (ECC unbuffered)	240 Pin DIMM	PHS-memory®	

#### PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.fr/-W5Y



## Contact Information

PHS-electronic gmbh - www.phs-memory.fr -Karl-Götz-Str. 5 97424 Schweinfurt Allemagne Phone: +49 9721 784678 E-Mail: info@phs-memory.fr Web: www.phs-memory.fr

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.fr