

## 8GB Computer memory DDR4 for Supermicro X12SPL-F RDIMM





# Your benefits ✓ verified quality memory ✓ 5 years warranty Warranty details see last page ✓ 100% compatible ✓ free support on our hotline ✓ fast delivery

#### PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



### Memory Specification



Memory size	8GB		
Memory technology	DDR4		
ECC support	ja		
JEDEC Norm	PC4-25600R		
Туре	RDIMM (ECC Registered)		
Number of pins	288 Pin DIMM		
Memory data transfer rate	3200MHz @ CL22		
Voltage	1,2 Volt		
Speciality	-		
Board dimensions	133,35 x 31,25 (LxB mm)		
Operating temperature	0° C - 85° C		
Storage temperature	-40° C - +95° C		
RoHS compliant	Yes		
SKU	SP472861		
EAN	4067488363733		

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



#### System Specifications

The memory is 100% compatible with this sytem:

permicro
erver-Mainboard
ainboard X
12 Serie
12SPL-F
В
֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜

<sup>\*</sup> The specifications for the maximum memory upgrade may differ from those of the manufacturer Supermicro. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

#### Information on memory allocation

#### Information on memory configuration

The following technical specifications should be considered in advance:

- The system supports RDIMM and RDIMM 3DS (Registered DIMM) or LRDIMM and LRDIMM 3DS (Load Reduced DIMM) memory modules. Large memory capacities can be realised with LRDIMM 3DS modules.
- RDIMM and RDIMM 3DS memory modules cannot be operated together with LRDIMM and LRDIMM 3DS main memories.
- If a memory expansion is to be made with the already existing RAM memories, it must be checked which basic memory technology (RDIMM / LRDIMM) is available.
- When using a multiprocessor system, the memory slots should always be configured identically for each CPU.
- Memory slots without a processor may not be used.
- If memory modules are provided with higher speeds than specified by the system, the memory speed is automatically adjusted to the system specifications.

#### Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
  - Do not touch the gold pins of the memory module  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($
  - Only touch the sides of the memory module
  - Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



#### Further memory options for Supermicro X12SPL-F

Registered)         ER32           16GB         SP397142         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory® MEM-DR416 ER32           32GB         SP397144         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory® MEM-DR432 ER32           64GB         SP472859         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory® MEM-DR464 ER32           64GB         SP397145         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory® MEM-DR464 ER32           128GB         SP472860         DDR4         LRDIMM (ECC LR DIMM) 3DS         288 Pin DIMM         PHS-memory®	Size	SKU	e 9	Technology	Туре	Number of pins	Brand	Reference no.
Registered)         ER32           32GB         SP397144         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®         MEM-DR432 ER32           64GB         SP472859         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®         MEM-DR464 ER32           64GB         SP397145         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®         MEM-DR464 ER32           128GB         SP472860         DDR4         LRDIMM (ECC LR DIMM) 3DS         288 Pin DIMM         PHS-memory®	8GB	SP472861	3 5	DDR4	`	288 Pin DIMM	PHS-memory®	MEM-DR480LB- ER32
Registered) ER32  64GB SP472859 DDR4 LRDIMM (ECC LR DIMM) PHS-memory® LR DIMM)  64GB SP397145 DDR4 RDIMM (ECC Registered) 288 Pin DIMM PHS-memory® MEM-DR464 Registered)  128GB SP472860 DDR4 LRDIMM (ECC LR DIMM) 3DS	16GB	SP397142	GB S	DDR4	•	288 Pin DIMM	PHS-memory®	MEM-DR416LD- ER32
LR DIMM)  64GB SP397145 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory® MEM-DR464 Registered)  128GB SP472860 DDR4 LRDIMM (ECC 288 Pin DIMM PHS-memory® LR DIMM) 3DS	32GB	SP397144	GB S	DDR4	•	288 Pin DIMM	PHS-memory®	MEM-DR432LC- ER32
Registered) ER32  128GB SP472860 DDR4 LRDIMM (ECC 288 Pin DIMM PHS-memory® LR DIMM) 3DS	64GB	SP472859	GB S	DDR4	•	288 Pin DIMM	PHS-memory®	
LR DIMM) 3DS	64GB	SP397145	GB S	DDR4	•	288 Pin DIMM	PHS-memory®	MEM-DR464MC- ER32
	128GB	SP472860	BGB S	DDR4	•	288 Pin DIMM	PHS-memory®	
128GB SP397141 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory® MEM-DR412 Registered) 3DS ER32	128GB	SP397141	BGB S	DDR4	•	288 Pin DIMM	PHS-memory®	MEM-DR412MH- ER32
128GB SP397139 DDR4 LRDIMM (ECC 288 Pin DIMM PHS-memory® LR DIMM)	128GB	SP397139	BGB S	DDR4	•	288 Pin DIMM	PHS-memory®	
256GB SP397143 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory® Registered) 3DS	256GB	SP397143	GGB S	DDR4	•	288 Pin DIMM	PHS-memory®	
256GB SP397140 DDR4 LRDIMM (ECC 288 Pin DIMM PHS-memory® LR DIMM) 3DS	256GB	SP397140	GGB S	DDR4	•	288 Pin DIMM	PHS-memory®	

#### PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.fr/-W5Y



#### Contact Information

PHS-electronic gmbh - www.phs-memory.fr -Karl-Götz-Str. 5 97424 Schweinfurt Allemagne Phone: +49 9721 784678 E-Mail: info@phs-memory.fr Web: www.phs-memory.fr

#### Product Datasheet | SP472861 8GB Computer memory for X12SPL-F



All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.fr