

# 256GB Computer memory DDR4 for ASRock Rack EPYC3101D4I-2T LRDIMM 3DS





- verified quality memory
- 5 years warranty Warranty details see last page
- ✓ 100% compatible
- free support on our hotline
- fast delivery

#### PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



#### Memory Specification



Memory size	256GB
Memory technology	DDR4
ECC support	yes
JEDEC Norm	PC4-25600-L
DRAM Organization	3DS 4H 16Gx4
Rank	8Rx4 (2S4Rx4)
Туре	LRDIMM (ECC LR DIMM) 3DS
Number of pins	288 Pin DIMM
Memory data transfer rate	3200MHz @ CL22
Voltage	1,2 Volt
Speciality	3DS
Board dimensions	133,35 x 31,25 (LxB mm)
Operating temperature	0° C - 85° C
Storage temperature	-40° C - +95° C
RoHS compliant	yes
SKU	SP468769
EAN	4067488323058

# overRAMing - maximize your RAM



Most systems - including the ASRock Rack EPYC3101D4I-2T - can be upgraded with more memory than originally specified by the device manufacturer.

Therefore, our memory specialists continuously analyze new memory solutions in selected systems. Due to improved manufacturing technologies, new memories with higher performance and capacity will be tested for stability and functionality.

Then the new memory solutions are released for the respective systems. Use the benefits of larger computer memory capacity with the PHSmemory® overRAMing memory solutions.

https://www.phs-memory.fr/-BOR

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



## System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	ASRock		
Device type	Motherboard-memory		
Device family	Rack		
Device series	EPYC3100 Serie		
Device name	Rack EPYC3101D4I-2T		
Maximum memory*	1TB / 512GB according to manufacturer		
Number of memory sockets	4		

<sup>\*</sup> The specifications for the maximum memory upgrade may differ from those of the manufacturer ASRock. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Memory modules with our overRAMing-symbol are approved by us for maximum memory expansion.

# Information on memory allocation

#### Information on memory configuration

The following technical specifications should be considered in advance:

- The device supports non ECC UDIMM (without error correction code), ECC DIMM (with error correction code) or RDIMM (Registered DIMM) RAM memories. RDIMM memories are recommended when large memory capacities are to be achieved.
- he different memory technologies (non ECC UDIMM / ECC UDIMM / RDIMM) must not be mixed during operation.
- If a memory expansion is to be made with the already existing RAM memories, it must be checked which memory technology (non ECC / ECC/ RDIMM) is already installed in the system.
- If memory modules are provided with higher speeds than specified by the system, the memory speed is automatically adjusted to the system specifications.

## Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
  - Do not touch the gold pins of the memory module
  - Only touch the sides of the memory module
  - Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



# Further memory options for ASRock Rack EPYC3101D4I-2T

8GB         SP329400         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           8GB         SP329394         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM         PHS-memory®           16GB         SP329398         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           16GB         SP329393         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM         PHS-memory®           32GB         SP329399         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           32GB         SP419638         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM         PHS-memory®           64GB         SP468770         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           64GB         SP329397         DDR4         LRDIMM (ECC LIR DIMM)         288 Pin DIMM         PHS-memory®           128GB         SP468772         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468773         DDR4         LRDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC LR DIMM) (ECC LR DIMM) (ECC	Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
(ECC unbuffered)           16GB         SP329398         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           16GB         SP329393         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM         PHS-memory®           32GB         SP329399         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           32GB         SP419638         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM         PHS-memory®           64GB         SP468770         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           64GB         SP329397         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           128GB         SP468772         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           128GB         SP329395         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           256GB         SP468773         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®	8GB	SP329400	DDR4		288 Pin DIMM	PHS-memory®	
Registered)           16GB         SP329393         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM         PHS-memory®           32GB         SP329399         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           32GB         SP419638         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM         PHS-memory®           64GB         SP468770         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           64GB         SP329397         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           128GB         SP468772         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           128GB         SP329395         DDR4         LRDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468773         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC 288 Pin DIMM         PHS-memory®	8GB	SP329394	DDR4	(ECC	288 Pin DIMM	PHS-memory®	
(ECC unbuffered)           32GB         SP329399         DDR4         RDIMM (ECC Registered)         288 Pin DIMM PHS-memory®           32GB         SP419638         DDR4         UDIMM ECC (ECC unbuffered)         288 Pin DIMM PHS-memory®           64GB         SP468770         DDR4         RDIMM (ECC Registered)         288 Pin DIMM PHS-memory®           64GB         SP329397         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM PHS-memory®           128GB         SP468772         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM PHS-memory®           128GB         SP329395         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM PHS-memory®           256GB         SP468773         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM PHS-memory®	16GB	SP329398	DDR4	•	288 Pin DIMM	PHS-memory®	
Registered)           32GB         SP419638         DDR4         UDIMM ECC (ECC (ECC (Unbuffered))         288 Pin DIMM         PHS-memory®           64GB         SP468770         DDR4         RDIMM (ECC Registered)         288 Pin DIMM         PHS-memory®           64GB         SP329397         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           128GB         SP468772         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           128GB         SP329395         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           256GB         SP468773         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC 288 Pin DIMM         PHS-memory®	16GB	SP329393	DDR4	(ECC	288 Pin DIMM	PHS-memory®	
(ECC unbuffered)         64GB       SP468770       DDR4       RDIMM (ECC Registered)       288 Pin DIMM       PHS-memory®         64GB       SP329397       DDR4       LRDIMM (ECC LR DIMM)       288 Pin DIMM       PHS-memory®         128GB       SP468772       DDR4       RDIMM (ECC Registered) 3DS       288 Pin DIMM       PHS-memory®         128GB       SP329395       DDR4       LRDIMM (ECC LR DIMM)       288 Pin DIMM       PHS-memory®         256GB       SP468773       DDR4       RDIMM (ECC Registered) 3DS       288 Pin DIMM       PHS-memory®         256GB       SP468769       DDR4       LRDIMM (ECC 288 Pin DIMM       PHS-memory®	32GB	SP329399	DDR4	•	288 Pin DIMM	PHS-memory®	
Registered)           64GB         SP329397         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           128GB         SP468772         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           128GB         SP329395         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           256GB         SP468773         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC 288 Pin DIMM         PHS-memory®	32GB	SP419638	DDR4	(ECC	288 Pin DIMM	PHS-memory®	
LR DIMM)           128GB         SP468772         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           128GB         SP329395         DDR4         LRDIMM (ECC LR DIMM)         288 Pin DIMM         PHS-memory®           256GB         SP468773         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC 288 Pin DIMM         PHS-memory®	64GB	SP468770	DDR4		288 Pin DIMM	PHS-memory®	
Registered) 3DS         128GB       SP329395       DDR4       LRDIMM (ECC LR DIMM)       288 Pin DIMM PHS-memory®         256GB       SP468773       DDR4       RDIMM (ECC Registered) 3DS       288 Pin DIMM PHS-memory®         256GB       SP468769       DDR4       LRDIMM (ECC 288 Pin DIMM PHS-memory®	64GB	SP329397	DDR4	•	288 Pin DIMM	PHS-memory®	
LR DIMM)           256GB         SP468773         DDR4         RDIMM (ECC Registered) 3DS         288 Pin DIMM         PHS-memory®           256GB         SP468769         DDR4         LRDIMM (ECC 288 Pin DIMM PHS-memory®	128GB	SP468772	DDR4	•	288 Pin DIMM	PHS-memory®	
Registered) 3DS  256GB SP468769 DDR4 LRDIMM (ECC 288 Pin DIMM PHS-memory®	128GB	SP329395	DDR4	•	288 Pin DIMM	PHS-memory®	
·	256GB	SP468773	DDR4	•	288 Pin DIMM	PHS-memory®	
	256GB	SP468769	DDR4	•	288 Pin DIMM	PHS-memory®	

# PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.fr/-W5Y





#### Contact Information

PHS-electronic gmbh - www.phs-memory.fr -Karl-Götz-Str. 5 97424 Schweinfurt Allemagne Phone: +49 9721 784678 E-Mail: info@phs-memory.fr Web: www.phs-memory.fr

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.fr