
phs memory®

32GB Computer memory DDR5 for bluechip SERVERline R44303s RDIMM



PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



Memory Specification



Memory size	32GB		
Memory technology	DDR5		
ECC support	ja		
JEDEC Norm	PC5-38400R		
DRAM Organization	2Gx8		
Rank	2Rx8		
Туре	RDIMM (ECC Registered)		
Number of pins	288 Pin DIMM		
Memory data transfer rate	4800MHz		
Voltage	1,1 Volt		
Speciality	-		
Operating temperature	0° C - 85° C		
Storage temperature	-40° C - +95° C		
RoHS compliant	Yes		
SKU	SP538060		
EAN	4069169040032		

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	bluechip
Device type	Server
Device family	SERVERline
Device series	R44300 Serie
Device name	SERVERline R44303s
Maximum memory*	2ТВ
Number of memory sockets	8

* The specifications for the maximum memory upgrade may differ from those of the manufacturer bluechip. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



Further memory options for bluechip SERVERline R44303s

16GBSP538058DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory@24GBSP538059DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory@32GBSP538060DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory@48GBSP538061DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory@64GBSP538062DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory@96GBSP538063DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory@128CBSP538064DDR5RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory@256GBSP538065DDR5RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory@	Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
Registered)32GBSP538060DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®48GBSP538061DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®64GBSP538062DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®96GBSP538063DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®128GBSP538064DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®256GBSP538065DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®	16GB	SP538058	DDR5	•	288 Pin DIMM	PHS-memory®	
Registered)48GBSP538061DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®64GBSP538062DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®96GBSP538063DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®128GBSP538064DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®256GBSP538065DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®	24GB	SP538059	DDR5		288 Pin DIMM	PHS-memory®	
Registered)64GBSP538062DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®96GBSP538063DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®128GBSP538064DDR5RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®256GBSP538065DDR5RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®	32GB	SP538060	DDR5	•	288 Pin DIMM	PHS-memory®	
PerformRegistered)96GBSP538063DDR5RDIMM (ECC Registered)288 Pin DIMMPHS-memory®128GBSP538064DDR5RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®256GBSP538065DDR5RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®	48GB	SP538061	DDR5		288 Pin DIMM	PHS-memory®	
Registered) 128GB SP538064 DDR5 RDIMM (ECC Registered) 3DS 288 Pin DIMM PHS-memory® 256GB SP538065 DDR5 RDIMM (ECC RDIMM (ECC 288 Pin DIMM PHS-memory®	64GB	SP538062	DDR5	•	288 Pin DIMM	PHS-memory®	
Registered) 3DS 256GB SP538065 DDR5 RDIMM (ECC 288 Pin DIMM PHS-memory®	96GB	SP538063	DDR5	•	288 Pin DIMM	PHS-memory®	
· · ·	128GB	SP538064	DDR5	•	288 Pin DIMM	PHS-memory®	
	256GB	SP538065	DDR5	•	288 Pin DIMM	PHS-memory®	

PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.fr/-W5Y



Contact Information

PHS-electronic gmbh - www.phs-memory.fr -Karl-Götz-Str. 5 97424 Schweinfurt Allemagne Phone: +49 9721 784678 E-Mail: info@phs-memory.fr Web: www.phs-memory.fr

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.fr